



Product technical sheet

TOPICCO WD1534



3 - 14 years



39 kids



49,4 m²



Material specification

- Construction made of the highest quality laminated, impregnated and double coated pine wood 90 x 90 mm without knots, secured from the top with polypropylene plugs,
- Metal anchors made of hot dip galvanized steel, protecting the wood from direct contact with the ground to prevent rot and to extend the product's life,
- Platforms made of durable anti-slip and waterproof plywood or HPL plate,
- Side panels made of durable HDPE plate, resistant to weather conditions
- Transparent polycarbonate panels with a permanent print resistant to scratches and weather conditions
- Covers made of hot-dip galvanized and powder coated steel mesh,
- Tube slide made of PE, highly resistant to weather conditions and UV rays,
- Seats made of steel ropes in polypropylene braid, connected with durable elements of aluminum, stainless steel and / or plastic,
- Stainless steel bars,
- Screws covered with plastic caps and/or stainless steel screws,



Facilitating disability



sound stimulation



easy access



shelters



integration



Intellectual development



manipulation



music



thinking



Physical development



hiding



sliding



observation



community



rest



roofs





1
number of towers






7
number of roofs



7
number of interactive elements



1
number of activity elements



Product technical sheet

TOPICCO WD1534

Product data

Length	600 cm
Width	585 cm
Total height	630 cm
Age group	3 - 14 years
Number of users	39 kids
Safety zone	49,4 m ²
Free fall height	180 cm
The height of the platforms	59, 90, 120, 150, 180, 210, 270, 330 cm
tube slide platform height	180, 330 cm
In accordance with norm EN	1176-1:2017
Weight of the heaviest part	46 kg
Dimensions of the largest part	570x9x9 cm
Availability of spare parts	YES
Installation time	11 h

Data is subject to change without prior notice.

Additional information

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimmie the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- slide should not be installed southwards;
- render is for reference only, the actual appearance of the equipment and its color may vary;

Guarantee

30 30 year guarantee - Structural strength of steel and stainless steel components

15 15 year guarantee - Structural failure of steel and stainless steel, for dynamic equipment

10 10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components

5 5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card

Vinci Group Sp. z o.o.
Seminaryjna 9 Street
99-400 Łowicz

VAT: 534-250-14-46
PHONE: +48 42 203 24 99 ext. 26
M: +48 793 404 991



biuro@vinci-play.com
info@vinci-play.com
www.vinci-play.com

Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C)	Particle size from 20 to 80	30	≤200
		40	≤300
woodchips (A,C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		180

Product technical sheet

TOPICCO WD1534

Amount of safe surface corresponding with free fall height:

HIC <60	13,1 m ²
HIC 90	1,7 m ²
HIC 100	21,4 m ²
HIC 120	1,2 m ²
HIC 150	10,6 m ²
HIC 180	1,4 m ²

Data is subject to change without prior notice.

